Erratum

Bogaert, J., Salvador-Van Eysenrode, D., Van Hecke, P. and Impens, I. 2001. Geometrical considerations for evaluation of reserve design. – Web Ecol. 2: 65–70.

Page 66, right-hand column, eq. (4) should be:

$$\left[\frac{a_i}{a_e}\right]_{lg} > \left[\frac{a_i}{a_e}\right]_{sm} \tag{4}$$

Page 67, left-hand column, Fig 2, lines 3–4 should be:
size, z is multiplied by 500 (z<1→a<500; z=1→a=500; z>1→a>500). An increase of a_i/a_e is observed for increasing z and

Page 68, left-hand column, eq. (11) should be:

$$R = \frac{(km\sqrt{z}-1)(m\sqrt{z}-1)(2m\sqrt{kzc\pi^{-1}}-1)}{(m\sqrt{kzc\pi^{-1}}-1)^2(m(k+1)\sqrt{z}-1)} \tag{11}$$

Page 68, left-hand column, the second line after eq. (11) should be:
(km√z–1)≈km√z, (m√z–1)≈m√z, (2m√kzcπ⁻¹–

Page 68, left-hand column, eq. (12) should be:

$$R \approx \frac{2\sqrt{k\pi}}{(k+1)\sqrt{c}} \tag{12}$$

Page 68, left-hand column, the third line after eq. (12) should be:
R≈2√π/√kc, i.e. R→ 0 for k→ ∞ because the radius

Page 68, right-hand column, line 1 should be:
and tend towards R≈0.87, which corresponds to eq.

Page 68, right-hand column, caption Fig. 5, line 3 should be:
z is multiplied by 500(z<1→a<500; z=1→a=500; z>1→a>500). For

Page 69, left-hand column, eq. (15) should be:

$$g\frac{2r_a-d}{(r_a-d)^2} = \frac{2r_b-d}{(r_b-d)^2} \tag{15}$$

Page 69, left-hand column, eq. (16) should be:

$$g\frac{2r_a-d}{(r_a-d)^2} < \frac{2r_b-d}{(r_b-d)^2} \tag{16}$$

Page 69, right-hand column, line 33 should be:
patches (z>>1), R tends towards 2√kπ/((k+1)√c) and

Ed.